




. Ta 1




F. .









ENTIRE DIRECTIONAL RANGE OF COMBINED MAGNETIC FIELD WHICH INCLUDES NEITHER EASY MAGNETIZATION AXIS NOR HARD MAGNETIZATION AXIS THAT IMPART MAGNETIC ANISOTROPY.

FIG. 4







FIG. 5














FIG. 9


Filed 11/7/03


















FIG. 14










ATTENUATION FLUCTUATION (dB)








FIG. 20


		$R2 \rightarrow 0$	R2 = R1	R2 → ∞
dIC/dT	EXCITATION BY CONSTANT- VOLTAGE SOURCE	(IC/R1)(dR1/dT)	(IC/2R1)(dR1/dT)	0
	EXCITATION BY CONSTANT- CURRENT SOURCE	(IC/R1)(dR1/dT)	(IC/2R1)(dR1/dT)	0
Μ	EXCITATION BY CONSTANT- VOLTAGE SOURCE	R1IC ²	2R1IC ²	8
	EXCITATION BY CONSTANT- CURRENT SOURCE	8	2R1IC ²	R1IC ²

FIG. 21







TEMPERATURE-DEPENDENT ROTATION ANGLE FLUCTUATION (deg.)



ATTENUATION (dB)



Filed 11/07/03



TITLE: FARADAY ROTATOR INVENTOR: Hiroshi NAGAEDA SERIAL NO.: Unassigned DOCKET NO.: 1095.1288 Filed 11/07/03 31a 3 VARIABLE OPTICAL EQUALIZER 30a) 38 36 <37 H2r_ 불 35b. 34a 32 30

FIG. 27




FIG. 28




FIG. 29





FIG 30

Filed 11/07/03

TEMPERATURE-DEPENDENT **EQUALIZATION DEVIATION (dB)**



TRANSMISSION STRENGTH (dB)






FIG. 32 **PRIOR ART**


Filed 11/7/03




Filed 11/07/03




TEMPERATURE-DEPENDENT ROTATION ANGLE FLUCTUATION (deg.)



Filed 11/7/03



TEMPERATURE-DEPENDENT **EQUALIZATION DEVIATION (dB)**



ATTENUATION (dB)

FIG. 37 PRIOR ART